

Arbeitsgemeinschaft mit aktuellem Thema:
ALGEBRAIC STRUCTURES IN CONFORMAL FIELD THEORIES
Mathematisches Forschungsinstitut Oberwolfach
01.04.-07.04.2007

Organizers:

Yasuyuki Kawahigashi

University of Tokyo

3-8-1 Komaba, Tokyo, 153-8914

Japan

yasuyuki@ms.u-tokyo.ac.jp

vostrik@darkwing.uoregon.edu

schweigert@math.uni-hamburg.de

Viktor Ostrik

University of Oregon

Eugene, OR 97403

USA

Christoph Schweigert

University of Hamburg

Bundesstraße 55, 20146 Hamburg

Germany

Introduction:

Two-dimensional conformal field theory plays a fundamental role in the theory of two-dimensional critical systems of classical statistical mechanics, in quasi one-dimensional condensed matter physics and in string theory. The study of defects in systems of condensed matter physics, of percolation probabilities and of (open) string perturbation theory in the background of certain solitonic solutions of string theory, the so-called D-branes, forces one to analyze conformal field theories on surfaces that may have boundaries and / or can be non-orientable. This study has recently led to much new insight in the mathematical structure of conformal field theory.

Many mathematical disciplines have contributed to a better understand of conformal field theory and received stimulating input from questions arising in conformal field theories. There are two major approaches to chiral conformal field theory: one that is based on operator algebras and one based on vertex algebras. Both structures lead to representation categories that are tensor categories and, in the case of rational chiral conformal field theories, more specifically modular tensor categories. They also encode the monodromy representations of the vector bundles of conformal blocks for rational vertex algebras, objects that are of interest for algebraic geometry. Moreover, modular tensor categories are a crucial ingredient in the construction of three-dimensional topological field theories.

While chiral conformal field theories have certain physical applications in the description of quantum Hall systems, full local conformal field theories are relevant for the physical applications referred to in the first paragraph. Recently, it has been understood that the construction of a full local conformal field theory is best described using the structure of a module category over the tensor category that describes the chiral data.

In this Arbeitsgemeinschaft, we will explain this mathematical notion, related concepts and some applications. The category theoretic framework allows to emphasize those aspects that are common to all approaches to chiral conformal field theory.

Talks:

(as of February 12, 2007)

The talks are marked by the organizer in charge with whom details of the talk should be primarily discussed.

Introductory talk

1. **Tensor categories and module categories** (Rolf Dyrre Svegstrup) [CS]
Introduce the notions of a tensor category and of a module category over a tensor category.
Introduce the notions of a braiding and a duality for a tensor category.

REFERENCES: [K, O]

Examples

2. **Tensor categories from factors** (Arthur Bartels) [YK]
Explain how tensor categories arise from nets of factors in the operator algebraic framework. This is an adaption of the classical Doplicher-Haag-Roberts theory to CFT.
REFERENCES: [FRS, KLM]
3. **Tensor categories for loop groups** (Ulrich Bunke) [CS]
Explain important facts about the representation categories for WZW models. The emphasis should be: description of simple objects, structure of K_0 , including the Verlinde formula, and possibly the extended Racah-Speiser algorithm [F, Section 5.5].
REFERENCES: [B, Part II, III]
4. **Frobenius algebras and Q -systems** (Pinhas Grossman) [YK]
Explain the notion of a Q -system and of a Frobenius algebra in a tensor category and their relation.
REFERENCES: [Lon, LoRo]

Fusion categories

5. **The double of a finite group** (Jürgen Müller) [VO]

Present the representation category of the double of a finite group as an example for (modular) tensor categories. Explain the notion of a modular tensor category. Classification of module categories over group theoretical categories (like double of a finite group) [O4]

REFERENCES: [BK, Chapter 3.2], [O4]

6. **Orbifolds** (Oliver Gray) [CS]

Present the theory of orbifolds in the categorical framework [Kir] and relate it to its operator algebraic realization [Mue]

REFERENCES: [Kir], [Mue]

7. **Classification of module categories** (Ho Hai Phung) [VO]

ADE classification for fusion categories associated with $SL(2)$ [EO]; a brief discussion of [MOV] can be included.

8. **Classification of fusion categories** (Michael Cuntz) [VO]

Fusion categories with few objects [O2]; first review the known results and then give some details for one example of rank 2. (Related material includes [O3], categories of specific Frobenius-Perron dimension like pq , p^n , where p, q are primes [EGO]; classification of categories with prescribed K_0 [TY, TW].)

REFERENCES: [O2, O3, EGO, TY, TW]

9. **Exceptional tensor categories in subfactor theory** (Emily Peters) [YK]

In subfactor theory, some exceptional tensor categories have been constructed by Asaeda, Haagerup and Izumi in [AH] and Section 7 of [I]. These examples are not known in other approaches to CFT and they produce non-trivial examples of topological field theories. Explain these examples and related concrete computations.

REFERENCES: [AH, I]

Topological field theory

10. **Reshetikhin-Turaev construction** (Rafal Suszek) [CS]

First explain the idea to describe quantum field theory as a functor from a category of cobordisms to an algebraic category [A]. Then give an overview of the Reshetikhin-Turaev construction of a TFT based on a modular tensor category. Possible references are the books [BK, K].

REFERENCES: [A, BK, K]

11. **Three-dimensional TFT from a subfactor** (Chris Schommer-Pries) [YK]
Explain the construction of a (non-braided) tensor category and a three-dimensional TFT from a subfactor.

REFERENCES: [EK, Chapters 9 and 12]

Conformal blocks

12. **Definition for WZW models** (Vincent Graziano) [VO]
Explain the definition of conformal blocks, for simplicity only for WZW theories
13. **Knizhnik-Zamolodchikov connection** (Marc Nieper-Wißkirchen) [VO]
Explain the construction of the Knizhnik-Zamolodchikov connection for WZW conformal blocks

REFERENCES: [B, Loo] [BK, Chapter 7.4] [M, Section 2]

CFT correlators

14. **The TFT approach to CFT correlation functions** (Christian Lehn) [CS]
Explain the axioms for correlation functions of a conformal field theory [FjFRS, Section 3] and how the TFT approach solves these constraints [RFS06].
15. **Symmetries and dualities in conformal field theory** (Pasquale Zito) [CS]
Explain how symmetries and dualities of a conformal field theory are encoded in the fusion rules of a bimodule category that describes topological defect lines.

REFERENCES: [FjFRS, RFS06] [FFRS04, FFRS06]

16. **α -induction** (Marta Asaeda) [YK]
Explain α induction in the categorical framework (section 5 of [O]). Review the status of the 5 claims in [O]:
claim 1 [FRS02]
claim 2 [BEK, Theorem 5.10], [FFRS06, Proposition 4.7, Remark 4.8]
claim 3 [FRS07]
claim 4 [FRS02]
claim 5 [FFRS03]

REFERENCES: [O]

17. **Boundary conditions in the operator algebraic approach** (Dorothea Bahns) [YK]
A review of the algebraic structures arising for conformal field theories on a half-space of Minkowski space-time in the operator algebraic approach to CFT.
REFERENCES: [LoRe]

The following bibliography contains many hyperlinks; if you view the pdf-version of this file with acroread, you can obtain most papers by clicking on the marked links. The pdf file is available at <http://www.math.uni-hamburg.de/home/schweigert/oberwolfach/program.pdf>

References

- [AH] Marta Asaeda, Uffe Haagerup: *Exotic subfactors of finite depth with Jones indices $(5 + \sqrt{13})/2$ and $(5 + \sqrt{17})/2$* Commun. Math. Phys. **202**, 1–63, (1999). [math.OA/9803044](#)
- [A] Michael F. Atiyah: *Topological quantum field theories* Publ. Math. IHES **68** 175 (1988)
- [BK] Bojko Bakalov and Alexander Kirillov Jr.: *Lectures on Tensor Categories and Modular Functors* American Mathematical Society, Providence, 2001. <http://www.math.sunysb.edu/~kirillov/tensor/tensor.html>
- [B] Arnaud Beauville: *Conformal blocks, fusion rules and the Verlinde formula* in *Hirzebruch 65 Conference on Algebraic Geometry* [Israel Math. Conf. Proc. 9] M. Teicher, ed., Bar-Ilan University, Ramat Gan, 1996, p. 75, [math.alg-geom/9405001](#)
- [BEK] Jens Böckenhauer, David E. Evans, and Yasuyuki Kawahigashi: *On α -induction, chiral generators and modular invariants for subfactors* Commun. Math. Physics **208** 429 (1999) [math.OA/9904109](#)
- [EGO] Pavel Etingof, Shlomo Gelaki, Viktor Ostrik: *Classification of fusion categories of dimension pq* Int. Math. Res. Not. **57** 3041–3056 (2004) [math.QA/0304194](#)
- [EO] Pavel I. Etingof and Victor Ostrik, *Finite tensor categories* Mosc. Math. J. 4, No. 3, 627–654 (2004). [math.OA/0301027](#)
- [EK] David E. Evans, Yasuyuki Kawahigashi: *Quantum symmetries on operator algebras*, Oxford University Press, 1998.

- [FjFRS] Jens Fjelstad, Jürgen Fuchs, Ingo Runkel, Christoph Schweigert: *Uniqueness of open/closed rational CFT with given algebra of open states* [hep-th/0612306](#)
- [FRS] Klaus Fredenhagen, Karl-Henning Rehren, Bert Schroer: *Superselection sectors with braid group statistics and exchange algebras* Commun. Math. Phys. **125**, 201–226, (1989) [scan](#)
- [FFRS03] Jürg Fröhlich, Jürgen Fuchs, Ingo Runkel, Christoph Schweigert: *Correspondences of ribbon categories* Advances in Mathematics, **199** 192-329 (2006) [math.CT/0309465](#)
- [FFRS04] Jürg Fröhlich, Jürgen Fuchs, Ingo Runkel, Christoph Schweigert: *Kramers-Wannier duality from conformal defects* Phys. Rev. Lett. **93** 070601 (2004) [cond-mat/0404051](#)
- [FFRS06] Jürg Fröhlich, Jürgen Fuchs, Ingo Runkel, Christoph Schweigert: *Duality and defects in rational conformal field theory* [hep-th/0607247](#)
- [F] Jürgen Fuchs: *Affine Lie algebras and quantum groups*, Cambridge University Press, 1992.
- [FRS02] Jürgen Fuchs, Ingo Runkel, Christoph Schweigert: *TFT construction of RCFT correlators I: Partition functions* Nucl. Phys. B **646** 353-497 (2002) [hep-th/0204148](#)
- [FRS07] Jürgen Fuchs, Ingo Runkel, Christoph Schweigert: *The fusion algebra of bimodule categories* Submitted to Applied Categorical Structures (Springer) [math.CT/0701223](#)
- [I] Masaki Izumi: *The structure of sectors associated with Longo-Rehren inclusions II. Examples.* Rev. Math. Phys. **13**, 603–674, (2001). [scan](#)
- [K] Christian Kassel: *Quantum groups* Springer, New York, 1995.
- [KLM] Y. Kawahigashi, R. Longo, M. Müger: *Multi-interval subfactors and modularity of representations in conformal field theory* Commun. Math. Phys. **219**, 631–669, (2001). [math.OA/9903104](#)
- [Kir] Alexander Kirillov Jr: *On G -equivariant modular categories* [math.QA/0401119](#)
- [Loo] Eduard Looijenga: *Conformal blocks revisited*, [math.ag/0507086](#)
- [Lon] Roberto Longo: *A duality for Hopf algebras and for subfactors I* Commun. Math. Phys. **159**, 133–150, (1994). [scan](#)
- [LoRe] Roberto Longo, Karl-Henning Rehren: *Local fields in boundary conformal QFT* Rev. Math. Phys. **16** 909 (2004) [math-ph/0405067](#)

- [LoRo] Roberto Longo, John E. Roberts: *A theory of dimension K-theory*, **11**, 103–159, (1997) [funct-an/9604008](#)
- [MOV] Anton Malkin, Victor Ostrik, Maxim Vybornov: *Quiver varieties and Lusztig’s algebra*, *Adv. Math.* **203** 514–536 (2006) [math.rt/0403222](#)
- [M] Olivier Mathieu: *Équations de Knizhnik-Zamolodchikov et théorie des représentations*. Séminaire Bourbaki, 1993-94, nr. 777. [scan](#)
- [Mue] Michael Müger: *Conformal Orbifold Theories and Braided Crossed G-Categories* *Commun. Math. Phys.* **260** 727-762 (2005) [math.QA/0403322](#)
- [O] Viktor Ostrik: *Module categories, weak Hopf algebras and modular invariants* *Transform. Groups* **8** 177 (2003) [math.QA/0111139](#)
- [O2] Viktor Ostrik: *Fusion categories of rank 2* *Math. Res. Lett.* **10** No. 2-3, 177-183 (2003) [math.QA/0203255](#)
- [O3] Viktor Ostrik: *Pre-modular categories of rank 3* [math.QA/0503564](#)
- [O4] Viktor Ostrik: *Module categories over the Drinfeld double of a finite group* *Int. Math. Res. Not.* **27**, 1507-1520 (2003) [math.QA/0202130](#)
- [RFS06] Christoph Schweigert, Jürgen Fuchs, Ingo Runkel: *Categorification and correlation functions in conformal field theory* in *Proceedings of the International Congress of Mathematicians 2006*. M. Sanz-Solé, J. Soria, J.L. Varona, and J. Verdera, eds. EMS, Zürich, 2006. [math.ct/0602079](#)
- [TY] Daisuke Tambara and Shigeru Yamagami: *Tensor categories with fusion rules of self-duality for finite abelian groups* *J. Algebra* **209** 692-707 (1998) [scan](#)
- [TW] Imre Tuba, Hans Wenzl: *On braided tensor categories of type BCD* *J. Reine Angew. Math.* **581** 31–69 (2005) [math.qa/0301142](#)

Participation:

The idea of the Arbeitsgemeinschaft is to learn by giving one of the lectures in the program. If you intend to participate, please send your full name, your e-mail address and your full postal address to

schweigert@math.uni-hamburg.de

by February 6, 2007 at the latest. Late applications are considered as long as places are available.

You should also indicate which talk you are willing to give:

First choice: talk no. ...

Second choice: talk no. ...

Third choice: talk no. ...

You will be informed shortly after the deadline if your participation is possible and whether you have been chosen to give one of the lectures.

The Arbeitsgemeinschaft will take place at Mathematisches Forschungsinstitut Oberwolfach, Lorenzenhof, 77709 Oberwolfach-Walke, Germany. For information about the institute, see <http://www.mfo.de/>

The institute offers accommodation and boarding free of charge to the participants. Travel expenses cannot be covered.

Note that the Friday of the week April 1-7 is Good Friday; although this is a public Holiday in Germany, the Institute will operate as usual. We plan to finish the program on Friday early afternoon. Further information will be given to the participants after the deadline.