

# Exercises in Algebraic Topology (master)

Prof. Dr. Birgit Richter

Summer term 2017

## Exercise sheet no 1

for the exercise class on the 24th of April 2017

### 1 (Induced maps)

a) Let  $X$  and  $Y$  be topological spaces. Is every chain map  $f_* : S_*(X) \rightarrow S_*(Y)$  induced by a map of topological spaces?

b) Let  $p: \tilde{X} \rightarrow X$  be a covering map. We know that the induced map on fundamental groups is a monomorphism. Is that also true for  $H_1(p)$ ?

### 2 (Cones)

Let  $f: A_* \rightarrow B_*$  be a chain map. The *mapping cone* of  $f$ ,  $C(f)$ , is a chain complex with  $C(f)_n = A_{n-1} \oplus B_n$  and whose differential is  $D(a, b) = (-da, db - f(a))$ .

Show that  $f_*$  is null-homotopic if and only if  $f_*$  extends over  $C(\text{id}_{A_*})$ .

### 3 (Klein bottle and surfaces)

a) Let  $F_g$  denote the closed orientable surface of genus  $g$ . Use the Seifert van Kampen theorem to determine the fundamental group of  $F_g$  and then apply the Hurewicz theorem to calculate  $H_1(F_g)$ .

b) Do the same for the Klein bottle,  $K$ .

### 4 (Exactness)

Let  $C_*$  be an arbitrary chain complex and let  $p$  be a prime. Is it always true that the sequence of chain complexes

$$0 \rightarrow C_* \xrightarrow{p} C_* \rightarrow C_*/pC_* \rightarrow 0$$

is exact? Give a proof or a counterexample.